

Oliver's Park Proposal to Install Path & Benches Requirements




1. To install a new compacted gravel path, between the car park and playground at Oliver's Park, Colehill.
 - The path is to be constructed from Limestone Dust, on a bed of scalpings.
 - The path should be timber edged, set at the same level as the grass so it can be easily mowed over.
 - The approximate distance from the car park gate to the playground gate is 50m, see the attached drawing.
 - The path will need to skirt around a silver birch tree, avoiding the tree canopy to minimise any impact to surface roots.
 - The path should be 1.5m in width, to allow a person to walk past a wheelchair.
 - The path should be extended under the gate into the playground by about 2m, removing the existing rubber matting that can be seen in the first photo on page 3, to minimise erosion in the gate area.
2. To install a matching semi-circular area, constructed from the same materials, approximate diameter 9m.
3. To source and install 3 four-sided wheelchair accessible picnic benches within the semi-circular area, see further details attached.
4. The top soil removed to form the path and base for the benches can be spread either side of the path, and firmed up, to raise the level and reduce the amount of soil that needs to be removed. Any additional soil can be spread on the area between the new path and the Scout Hut. All soil needs to be firmed up and re-seeded with grass.

Oliver's Park Proposal to Install Path & Benches

Picnic Benches

- The three benches should each be capable of seating 6 people and each provide space for a single wheelchair or mobility scooter,
- The benches should be installed in line with the manufacturers recommendations.
- Our preferred model is the Pembridge Picnic Table with Wheelchair Access produced by Glasdon.
<https://uk.glasdon.com/seating/wheelchair-accessible-picnic-tables/pembridge-picnic-table-with-wheelchair-access>
- Our preferred finish is Enviropol in Brown.
- This bench is installed using self-tapping masonry bolts and tamper resistant armor rings into a concrete foundation slab 1,645mm square and 200mm deep.
- If proposing to provide any alternative picnic bench, then please provide us with full details, including fixing details, material samples and colour choices.





Playground gate



View from playground to tree



View from tree to car park



View from car park gate



Oliver's Park Proposal to Install Path & Benches

Instructions for Contractors

1. The site is accessible through a field gate in a small car park adjacent to 71 Cutlers Place, Colehill, Wimborne BH21 2HX.
2. All measurements and drawings provided are indicative, contractors are encouraged to visit the site and take their own measurements, and to understand the topology of the site. Arrangements via the parish clerk on 01202 880049.
3. Any damage caused to the grass surface of the playing field must be made good by contractors at their own expense.
4. The site will be available for work to be carried out from 8.00 am until 5.00pm, Monday to Friday.
5. The site is unmanned, and open to the public 24 hours, so any tools or machinery left unattended will need to be secured at the contractors risk, and appropriate temporary barriers/fencing deployed to keep the public safe.
6. No toilet facilities, water or electricity are available on site, Contractors will need to make their own provision for these.
7. In addition to your quote, please provide the following information:
 - A detailed specification for the works, detailing the path construction and quantifying the materials required.
 - The location where you are based.
 - The steps you take to minimise any environmental impacts of your work.
 - A copy of your public liability insurance, which should be for at least £5m.
 - Two references for undertaking similar work.
 - The timescales in which you will be able to undertake the work, if the contract is awarded to you.
8. Quotes and the additional information requested should be emailed to the parish clerk at clerk@colehill.gov.uk by Friday 5th Nov 22, so that a decision may be taken at the Council meeting scheduled for Tues 8th Nov.